



**TECNOSERVICE'21 srl**

by Tinti Sergio  
Via Carlo Pisacane, 134  
61032 Fano (PU) Italy  
P.IVA IT0200411413

Tel. +39 0721 805911  
FAX +39 0721 809794  
e-mail: [staff@technochef.it](mailto:staff@technochef.it)  
[www.technochef.it](http://www.technochef.it)  
[www.technochef.eu](http://www.technochef.eu)

Services and Technologies for professional catering since 1973



#### PROFESSIONAL DESCRIPTION

**LOW CASSEROLE 1 handle, PADERNO, SERIES 2000, suitable for INDUCTION in STAINLESS STEEL, COMPLETE RANGE with diameter from 160 mm to 360 mm :**

- **professional line** in stainless steel ;
- internal and external satin finish for a longer aesthetic duration over time;
- **three-layer sandwich thermo diffuser bottom: steel / aluminum or / steel;**
- **Ideal for all types of cooking** : gas, electric, glass ceramic and even induction;
- **professional tubular steel handle for excellent grip**, welded with reinforcement flange.
- **Handle with a wide and solid grip;**
- Designed for the needs of professional chefs and for the pleasure of the most passionate gourmands;
- models with diameter 28 cm, 32 cm, 36 cm, with counter handle;

**CE MARK**  
**MADE IN ITALY**

#### AVAILABLE MODELS

##### PD11008-16



**Delivery**

**LOW CASSEROLE 1 handle in STAINLESS STEEL for INDUCTION, 16 cm**

LOW CASSEROLE 1 handle, SERIES 2000, suitable for INDUCTION PLATES in STAINLESS STEEL, diameter mm.160, high mm.65, LT 1.3

##### PD11008-18



**Delivery**

**LOW CASSEROLE 1 handle in STAINLESS STEEL for INDUCTION, 18 cm**

LOW CASSEROLE 1 handle, SERIES 2000, in STAINLESS STEEL, diameter mm.180, high mm.70, LT. 1.8

**PD11008-20****Delivery****LOW CASSEROLE 1 handle in STAINLESS STEEL for INDUCTION, 20 cm**

LOW CASSEROLE 1 handle, SERIES 2000, in STAINLESS STEEL, diameter mm.200, high mm.75, LT. 2.5

**PD11008-24****Delivery****LOW CASSEROLE 1 handle in STAINLESS STEEL for INDUCTION, 24 cm**

LOW CASSEROLE 1 handle, SERIES 2000, in STAINLESS STEEL, diameter 240 mm, high 80 mm, LT. 3.7

**PD11008-28****Delivery****LOW CASSEROLE 1 handle in STAINLESS STEEL for INDUCTION, 28 cm**

LOW CASSEROLE 1 handle, 2000 SERIES, suitable for STAINLESS STEEL INDUCTION PLATES, diameter 280 mm, high mm 95, LT 5.8

**PD11008-32****Delivery****LOW CASSEROLE 1 handle in STAINLESS STEEL for INDUCTION, 32 cm**

LOW CASSEROLE 1 handle, SERIES 2000, suitable for INDUCTION PLATES in STAINLESS STEEL, diameter mm.320, high mm.110, LT 9.2

**PD11008-36****Delivery****LOW CASSEROLE 1 handle in STAINLESS STEEL for INDUCTION, 36 cm**

LOW CASSEROLE 1 handle, SERIES 2000, suitable for INDUCTION PLATES in STAINLESS STEEL, diameter mm.360, height mm.130, LT 13

