

TECNOSERVICE'21 srl by Tinti Sergio Via Carlo Pisacane, 134 61032 Fano (PU) Italy P.IVA IT0200411413 Tel. +39 0721 805911 FAX +39 0721 809794 e-mail: staff@technochef.it www.technochef.it www.technochef.eu

Services and Technologies for professional catering since 1973



TECHNICAL CARD

power supply	Monofase
Volts	V 230/1
frequency (Hz)	5060
motor power capacity (Kw)	2
net weight (Kg)	15
gross weight (Kg)	16
breadth (mm)	481
depth (mm)	457
height (mm)	182

PROFESSIONAL DESCRIPTION

BLACK GLASS CERAMIC TABLETOP HOB, SPIDOGLASS Line, ECO Range, with smooth lower surface and self-balancing RIBBED upper surface, version with MANUAL CONTROLS:

- $\circ~$ high-strength stainless steel outer casing with rounded edges ;
- handle made of hygienic non-porous material with anatomical design for an optimal and safe grip ;
- ideal for cooking both sandwiches and rolls , as well as meat or vegetables , ensuring excellent cooking and maintaining intact flavours and aromas ;
- perfect for fast food , but can also be a valid support in the kitchen ;
- high cooking quality thanks to the uniform distribution of the heat produced and the use of glass-ceramic cooking surfaces, a material that
 offers high resistance to thermal shock, non-stick, non-porosity and therefore impermeability to flavours and odours;
- cooking modes : contact and infrared cooking;
- adjustable temperature from 0° to 400°C ;
- user-settable temperature unit in °C or °F;
- ultra-fast and uniform 'SHB' heating system, through which the heating filament reaches a temperature of 800°C, with emission of infrared rays;
- **black glass ceramic hob**, which lets some infrared rays filter through, allowing them to reach and heat the product directly at the heart and ensuring crispiness of the external surfaces;
- smooth lower surface and self-balancing ribbed upper surface , with patented movement, to ensure a greater contact surface between food and glass-ceramic surface,

hob dimensions : mm.400x300 ;

glass ceramic is the perfect material for contact cooking , resistant to impacts and thermal shocks, impermeable to odors and flavors

- thanks to the non-stick characteristics of glass ceramic, cleaning operations are simple and quick , eliminating the risk of bad smells due to food residues on the hobs;
- large capacity liquid collection drawer ;
- rounded cold temperature liquid drainage channels, which run all the way around the hob, allow dirt and liquids to be easily conveyed towards the collection drawer;
- side covers to prevent dirt from seeping in;
- master power switch;
- manual controls ;
- power indicator light with LED lighting ;
- maximum thermal efficiency and work safety (cold external surfaces without sharp edges);
- containment of heat loss through high-thickness fiberglass insulation;
- maintaining temperature with minimal energy consumption ;
- up to 60% savings in preheating time and up to 60% savings in energy consumption thanks to the high-efficiency Protek.Safe thermal
 insulation system, which eliminates unnecessary energy losses;
- compact and elegant design;
- non-slip feet.

CE mark Made in Italy

CODE	DESCRIPTION	PRICE/DELIVERY
SPC-SP015R	Black GLASS CERAMIC TABLE-TOP HOB, SPIDOGLASS Line, with smooth lower surface and self-balancing RIBBED upper surface, MANUAL CONTROLS, adjustable temperature from 0° to 400°C, V.230/1, Kw 2.00, weight 15 Kg, dim.mm.481x457x182h	Delivery from 4 to 9 days







VETROCERAMICA LA MIGLIORE SUPERFICIE PER CUCINARE


RESISTENZA 🗸

ASSENZA DI FUMO 🗸 FACILE PULIZIA 🗸

La vetroceramica è il materiale perfetto per le cottureper contatto. Resistente agli urti e agli shock termici, impermeabile ad odori e sapori, non assorbe il gusto dei cibi cotti e permette quindi di cucinare in sequenza cibi anche molto diversi tra loro mantenendo sapori e profumi intatti.

Grazie alle caratteristiche di antiaderenza del materiale vengono fortemente ridotti i fumi prodotti durante la cottura e le operazioni di pulizia sono semplici e rapide consentendo di eliminare il rischio di cattivi odori dovuti ai residui di cibo sui piani di cottura.





Yomumi annai (250gg) in KMr to cicle An laken/Th standby a 307C con plants-dopper



