

TECNOSERVICE'21 srl

by Tinti Sergio Via Carlo Pisacane, 134 61032 Fano (PU) Italy P.IVA IT0200411413 Tel. +39 0721 805911 FAX +39 0721 809794 e-mail: staff@technochef.it www.technochef.it www.technochef.eu

Services and Technologies for professional catering since 1973 $\,$



CODE	DESCRIPTION	PRICE/DELIVERY
CZ-DC1050C	Refrigerated cabinet for DRINKS with 2 glass doors, in white painted steel, capacity lt.1050, Temperature - $1^\circ/+10^\circ$ C, Ventilated refrigeration, Gas R290, Class C, V.230/1, Kw.0,475, Weight 138 Kg, dim.mm.1120x595x1975h	Delivery from 8 to 15 days
DROCESSIONAL DESCRIPTION		

REFRIGERATOR FOR DRINKS 2 GLASS DOORS, It.1050, Ventilated, Temp.-1°/+10°C, Class C:

- made of white painted steel both internally and externally ;
- o capacity 1050 litres;
- superior advertising opaline;
- ventilated refrigeration;
- built-in group with **ECOLOGICAL GAS R290**;
- electronic temperature control with digital thermostat;
- operating temperature -1°/+10°C;
- automatic defrosting when the compressor stops;
- Foaming in Cyclopentane (**45mm thick per side**);
- Removable Gasket;
- Independent switch for interior lights and opal light;
- Strengthened safety glass;
- Double anti-condensation glass;
- Standard self-closing door and lock;
- Energy class: C
- $\circ\,$ Customizable with promotional graphics on the body and on the luminous advertising panel.

Supplied:

- Series lock;
- o no. 10 adjustable shelves;
- N.4 Wheels for easy positioning + N.2 Anti-tip feet

Options/Accessories:

- GRID (WITHOUT SUPPORTS): 500x378mm (LxW) Gap 10
- GRILLE SUPPORTS

CE mark

Made in ASIA		
TECHNICAL CARD		
power supply	Monofase	
Volts	V 230/1	
frequency (Hz)	50	
motor power capacity (Kw)	0,475	
net weight (Kg)	138	
breadth (mm)	1120	
depth (mm)	595	
height (mm)	1975	

