



**TECNOSERVICE'21 srl**

by Tinti Sergio  
Via Carlo Pisacane, 134  
61032 Fano (PU) Italy  
P.IVA IT0200411413

Tel. +39 0721 805911  
FAX +39 0721 809794  
e-mail: [staff@technochef.it](mailto:staff@technochef.it)  
[www.technochef.it](http://www.technochef.it)  
[www.technochef.eu](http://www.technochef.eu)

Services and Technologies for professional catering since 1973



#### PROFESSIONAL DESCRIPTION

**ICE MAKER IN FULL CUBES, Yield 22-24 Kg / 24 hours, 6 Kg internal storage, available with Air or Water Cooled Cooling Group:**

- **structure** in **AISI 304 stainless steel** ;
- **storage capacity 6 Kg** ;
- **production Kg / 24h** : **22 Kg for the Air model** , **24 Kg for the Water model** ;
- **air** or **water** cooling;
- **spray ice production system** ;
- **cube Series : S - 14 gr** ;
- cube dimensions (LxWxH): 36x26x23 mm;
- **Electromechanical controls** : The machine is controlled by timer and thermostat. Simple, easy to understand and maintain. High reliability and low cost of spare parts;
- **electronic** control: total control of the machine by means of an electronic card
  - optimized and flexible for each machine.
  - management and reporting of alarms.
  - optimization of the cubes output.
- **Injection system** with special semi-elastic injectors designed and patented by ICE TECH to prevent the formation of limescale;
- external On / Off switch;
- **tropicalized compressor** Class T, Air temperature: 5 - 40°C, Water temperature: 5 - 35°C, Pressure: 0,7 - 6 bar, Kg / 24h at ambient temperature 15°C, Water temperature 10°C;
- **Refrigerant Gas R290** : Natural gas R290 with low global warming potential (GWP) which reduces energy consumption;
- water inlet connection: 3/4 "- Exhaust gas connection: 20 mm;
- Ice maker **designed for the Bar, Restaurant, Pub, Hotel** . Suitable for **producing compact "Gourmet" cubes weighing 14 g**, the most desired by professionals and consumers, particularly **suitable for drinks and liqueurs** . Thanks to the resistant formula, the cube will take longer to melt, so that the customer can enjoy his drink for longer;
- **the deposit is well insulated with injected polyurethane foam** , for the best containment of the ice produced, without the risk of melting;
- All parts in contact with water have been designed to minimize their friction and to ensure maximum surface tension, significantly reducing the sound level.

**CE mark**  
**Made in EUROPE**

#### TECHNICAL CARD

**power supply** | Monofase

<b>Volts</b>	V 230/1
<b>frequency (Hz)</b>	50
<b>motor power capacity (Kw)</b>	0,36
<b>net weight (Kg)</b>	32
<b>gross weight (Kg)</b>	36
<b>breadth (mm)</b>	350
<b>depth (mm)</b>	475
<b>height (mm)</b>	595

#### AVAILABLE MODELS

##### ICT-SS25/A



**Delivery** from 15 to 25 days

#### **ICE MANUFACTURER / MANUFACTURER in FULL CUBES, Yield 22 Kg / 24 hours, STORAGE 6 Kg, Air Cooled, mod.SS25 / A**

Full ice cube machine, yield 22 Kg / 24 hours, 6 Kg storage, stainless steel exterior, air cooling, Gas R290, V.230 / 1, Kw.0.36, weight Kg.32, dim.mm.350x475x595h

##### ICT-SS25/W




**Delivery** from 15 to 25 days

#### **ICE MANUFACTURER / MANUFACTURER in FULL CUBES, Yield 24 Kg / 24 hours, STORAGE 6 Kg, WATER-COOLED, mod.SS25 / W**

Full ice cubes machine, yield 24 Kg / 24 hours, 6 Kg storage, stainless steel exterior, water cooling, Gas R290, V.230 / 1, Kw.0.36, weight Kg.32, dim.mm.350x475x595h



**S | 14 gr**



Solo modello SS25

