



CODE	DESCRIPTION	PRICE/DELIVERY
<b>TCF091-000202</b>	Freezer-Freezer Cabinet 1 Door, Professional, external structure in stainless steel, lt.686, Temp.-15°/-18°C, ECOLOGICAL in Class D, Gas R290a, ventilated, V.230/1, Kw.0, 62, Weight 76 Kg, dim.mm.720x790x2030h	<b>Delivery</b> from 8 to 15 days

#### PROFESSIONAL DESCRIPTION

**FREEZER-FREEZER CABINET 1 Door , capacity 686 litres, temperature -15°/-18°C, ECOLOGICAL in Class D:**

- **External and internal structure** in **304 18/10 stainless steel** ;
- Top, back and external bottom in AISI 430;
- Partially ducted **ventilated refrigeration** for **correct air circulation inside the cell**
- **Thermostatic temperature control** ;
- **Locking with key and open door Led spotlight**;
- **Energy class D** , climate class 5 (tropicalised);
- **R290a ECOLOGICAL GAS** refrigerating unit (GWP equal to 3) which results **in considerable energy savings** ;
- Hot gas defrosting, and not resistance, allows energy savings and defrosting is performed more quickly;
- The guides have hand-saving riveted folds, removable racks
- The **insulation is made with HFO polyurethane** which has a **GWP level of 0** , respecting the environment and the stringent future rules of the coming years.

#### Included :

- 3 GN 2/1 grids





#### Options/Accessories :

- Grid gn 2/1 laminated
- Grid gn 2/1 in stainless steel
- Pair of stainless steel guides
- Stainless steel wheels ø 125

#### CE mark

<b>power supply</b>	Monofase
<b>Volts</b>	V 230/1
<b>frequency (Hz)</b>	50
<b>motor power capacity (Kw)</b>	0,35
<b>net weight (Kg)</b>	76
<b>gross weight (Kg)</b>	85
<b>breadth (mm)</b>	720
<b>depth (mm)</b>	790
<b>height (mm)</b>	2030

#### TECHNICAL CARD

CODE/PICTURES	DESCRIPTION	PRICE/DELIVERY
<b>TCF091-000209</b> 	<b>Pair of stainless steel guides</b> Pair of stainless steel guides for GN 2/1 grids (mm 650x530)	<b>Delivery</b> from 4 to 9 days
<b>TCF091-000207</b> 	<b>Grid gn 2/1 laminated</b> Plasticized grid GN 2/1 (mm 650x530)	<b>Delivery</b> from 4 to 9 days
<b>TCF091-000208</b> 	<b>Grid gn 2/1 in stainless steel</b> Griglia inox GN 2/1 (mm 650x530)	<b>Delivery</b> from 4 to 9 days
<b>TCF091-000210</b> 	<b>Stainless steel wheels diameter 125 mm</b> Stainless steel/Teflon plate wheel kit diam. 125 2 swivel-2 with brake	<b>Delivery</b> from 4 to 9 days



