

## TECNOSERVICE'21 srl

by Tinti Sergio Via Carlo Pisacane, 134 61032 Fano (PU) Italy P.IVA ITO200411413 Tel. +39 0721 805911 FAX +39 0721 809794 e-mail: staff@technochef.it www.technochef.it www.technochef.eu

Services and Technologies for professional catering since 1973



CODE	DESCRIPTION	PRICE/DELIVERY
TCF091-000302	Freezer-Freezer Cabinet 1 Door, Professional, external structure in stainless steel, 700 lt, Temp15°/-18°C, ECOLOGICAL in Class D, Gas R290, ventilated, V.230/1, Kw.0, 48, weight 80 kg, dim.mm.720x800x2020h	<b>Delivery</b> from 8 to 15 days

## PROFESSIONAL DESCRIPTION

## 1-door FREEZER-FREEZER CABINET, capacity 700 litres, temperature -15°/-18°C, ECOLOGICAL in Class D:

- monocoque with 60 mm insulation with HFO polyurethane foam, which has a GWP level 0;
- the material used is stainless steel with a prevalence of Aisi 304, excluding non-visible parts;
- Monoblock type units use R290 gas (GWP equal to 3) which leads to significant energy savings;
- defrosting with hot gas, and not with resistance, allows for energy savings and defrosting is carried out more quickly;
- $\circ \ \ \textbf{partially channeled ventilation} \ \text{to have correct air circulation inside the cell};$
- the guides have a hand-saving fold , removable racks;
- the fan stop microswitch when the door opens is mechanical and does not need to be moved if the opening direction is changed;
- **the door is reversible** , simply mount the lower hinge on the opposite side;
- the internal set-up is interlocking and is easily removable to ensure maximum convenience in cleaning operations;
- the delivery mouth, in ventilated cabinets, is protected by a channel, which guarantees that the cold outgoing air is not hindered by products or ice formations:

## TECHNICAL DATA:

Capacity (lt): 700Energy class: D

Operating temperature: -15°/-18°Electrical power (Kw): 0.48

∘ V\Hz: 230/50

Refrigerant gas: R290Weight (Kg): 80

o Dimensions (cm): 720x800x2020

CE MARK
MADE IN ITALY

<b>y</b> Monofase	
50	
0,48	
) 80	
720	
800	
2020	
IICAL CARD	
DESCRIPTION	PRICE/DELIVERY
	<b>Delivery</b> from 4 to 9 days
<b>steel guides</b> eel guides for GN 2/1 grills (mm	
<b>d grill</b> lasticized grill (650x530 mm)	<b>Delivery</b> from 4 to 9 days
<b>rill GN 2/1</b> tainless steel grill (650x530 mm)	<b>Delivery</b> from 4 to 9 days
	<b>Delivery</b> from 4 to 9 days
	2) 50 2) 50 3) 0,48 3) 80 1) 720 1) 800 1) 2020 NICAL CARD



