



TECNOSERVICE'21 srl

by Tinti Sergio
Via Carlo Pisacane, 134
61032 Fano (PU) Italy
P.IVA IT0200411413

Tel. +39 0721 805911
FAX +39 0721 809794
e-mail: staff@technochef.it
www.technochef.it
www.technochef.eu

Services and Technologies for professional catering since 1973



| CODE | DESCRIPTION | PRICE/DELIVERY |
|--------------------------|--|-----------------------------------|
| TCF091-000304 | 1 Door Refrigerator Cabinet, Professional, external structure in stainless steel, lt.600, Temp.-2°/+8°C, ECOLOGICAL in Class C, Gas R290, ventilated, V.230/1, Kw.0,24, Weight 70 Kg, dim.mm.720x700x2020h | Delivery from 8 to 15 days |
| PROFESSIONAL DESCRIPTION | | |

REFRIGERATOR 1 door, capacity 600 litres, temperature -2°/+8°C, ECOLOGICAL in Class C :

- **monocoque with 60 mm insulation** with HFO expanded polyurethane, which has a GWP level 0;
- **the material used is stainless steel with a prevalence of Aisi 304** , excluding the non-visible parts;
- monobloc units, use **R290 gas** (GWP equal to 3) which **results in considerable energy savings** ;
- **hot gas defrosting** , and not resistance, allows energy saving and defrosting is performed more quickly;
- **partially ducted ventilation** for correct air circulation inside the cell;
- **the guides have hand-saving riveted folds** , removable racks;
- **the fan stop micro when the door is opened is mechanical** and does not need to be moved if the opening direction is changed;
- **the door is reversible** , it is sufficient to mount the lower hinge on the side opposite to;
- the interior fittings are interlocking and can be easily removed to ensure maximum practicality in cleaning operations;
- the delivery mouth, in ventilated cabinets, is protected by a duct, which guarantees that the cold air coming out is not obstructed by products or ice formations;

TECHNICAL DATA :




- Capacity (lt): 600
- Energy class: C
- Operating temperature: -2°/+8°
- Electric power (Kw): 0.24
- V\Hz: 230/50
- Refrigerant gas: R290
- Weight (Kg): 70
- Dimensions (cm): 720x700x2020

CE MARK
MADE IN ITALY

TECHNICAL CARD

| | |
|----------------------------------|----------|
| power supply | Monofase |
| Volts | V 230/1 |
| frequency (Hz) | 50 |
| motor power capacity (Kw) | 0,24 |
| net weight (Kg) | 70 |
| breadth (mm) | 720 |
| depth (mm) | 700 |
| height (mm) | 2020 |

TECHNICAL CARD

| CODE/PICTURES | DESCRIPTION | PRICE/DELIVERY |
|---|--|----------------------------------|
| TCF091-000311  | Pair of stainless steel guides Pair of stainless steel guides | Delivery from 4 to 9 days |
| TCF091-000310  | Plasticized grid 530x550 Plastic coated grid of mm.530x550 | Delivery from 4 to 9 days |
| TCF091-000309  | Stainless steel wheels Stainless steel wheel kit, diameter 125 | Delivery from 4 to 9 days |

