



TECNOSERVICE'21 srl

by Tinti Sergio
Via Carlo Pisacane, 134
61032 Fano (PU) Italy
P.IVA IT0200411413

Tel. +39 0721 805911
FAX +39 0721 809794
e-mail: staff@technochef.it
www.technochef.it
www.technochef.eu

Services and Technologies for professional catering since 1973



CODE	DESCRIPTION	PRICE/DELIVERY
FC-M-GN650BT-FC	1 Door Freezer-Freezer Cabinet, with Monobloc, Plug-in System, 650 lt, Temp.-18°/-22°C, ECOLOGICAL in Class E, R290 Gas, Ventilated, GN 2/1, V.230/1 , Kw.0,52, Weight 114 Kg, dim.mm.740x830x2010h	Delivery from 8 to 15 days

PROFESSIONAL DESCRIPTION

1 DOOR FREEZER-FREEZER CABINET, WITH MONOBLOC, PLUG-IN SYSTEM, capacity 650 litres, temperature -18°/-22°C, ECOLOGICAL in Class E:

- **made of AISI 201 stainless steel ;**
- **Monobloc refrigeration unit ;**
- **refrigeration unit with plug-in system** characterized by easy and immediate installation or possible removal/replacement;
- quieter engine;
- monobloc protected by stainless steel sheet;
- cabinet with **insulation thickness 60 mm ;**
- chamber **bottom with rounded corners ;**
- external bottom panels in galvanized sheet metal;
- **interior light;**
- **door with return spring** and reversible;
- door **locking with key ;**
- door seal removable without tools;
- suitable for containing **Gastronorm 2/1 grills or containers (650x530 mm)**;
- **ventilated refrigeration ;**
- **operating temperature -18°/-22°C ;**
- **electronic temperature control** with digital thermostat;
- anti-corrosion treated evaporator;
- ECOLOGICAL Refrigerating Group with **R290 gas ;**
- engine compartment with insulated sides;
- **electric resistance around the door frame to eliminate condensation ;**
- **automatic defrost ;**
- **automatic evaporation of** condensation water;
- maximum ambient temperature: +38°C;
- maximum ambient humidity: 60% HR;
- height-adjustable feet;
- internal dimensions mm. 620x700x1396h.

Supplied :

- n.3 GN 2/1 grills;
- n.6 guides.

CE mark

TECHNICAL CARD

power supply	Monofase
Volts	V 230/1
frequency (Hz)	50
motor power capacity (Kw)	0,52
net weight (Kg)	114
gross weight (Kg)	129
breadth (mm)	740
depth (mm)	830
height (mm)	2010

