



TECNOSERVICE'21 srl

by Tinti Sergio
Via Carlo Pisacane, 134
61032 Fano (PU) Italy
P.IVA IT0200411413

Tel. +39 0721 805911
FAX +39 0721 809794
e-mail: staff@technochef.it
www.technochef.it
www.technochef.eu

Services and Technologies for professional catering since 1973



forcar®

PROFESSIONAL DESCRIPTION

REFRIGERATED PIZZA COUNTER 2 DOORS + CHEST OF DRAWERS for loaves of bread , with 330 or 380 mm DEEP GLASS, operating temperature +2°/+8°, Class B :

- **Aisi 304 stainless steel structure ,**
- **granite worktop** with splashback on 3 sides,
- **2 refrigerated compartments** capable of hosting **600x400x70h mm loaf containers** , Temp. +2°+8° ,
- **neutral chest of drawers with 7 drawers** capable of hosting **7 loaf containers measuring 600x400x70h mm - NOT INCLUDED ,**
- **capacity 386 litres ;**
- **ventilated refrigeration ,**
- **removable built-in unit** for easy maintenance,
- **neutral drawer above technical compartment ,**
- insulation thickness: 50 mm,
- **circular flow of the cold air** so as not to directly touch the product,
- **electronic temperature control with digital thermostat ,**
- electric resistance around the door frame to eliminate condensation,
- **automatic defrost** with electric resistance,
- **automatic defrost temperature control ,**
- **automatic evaporation of condensation water ,**
- anti-corrosion treated evaporator,
- **ECOLOGICAL Refrigerating Group with R290 GAS ;**
- **Energy CLASS B ;**
- max ambient temperature/humidity: +32°C / 55%HR,
- door with return spring,
- door seal removable without tools,
- bottom with rounded corners,
- height-adjustable **feet in Aisi 304 stainless steel ,**
- stainless steel backrest,
- possibility of leaning against the wall.

Equipped with **a horizontal refrigerated SHOWCASE** complete with glass and refrigeration unit, **capable of containing:**

- **10 GN 1/4** containers (265x162 mm), with a max height of 150 mm for the mod. **FOPZ2610TN33 ,**
- **9 GN 1/3** containers (325x175 mm) , with a max height of 150 mm for the mod. **FOPZ2610TN38 .**


Supplied :

- n.7 pairs of guides per door

NB: Horizontal display trays and pizza loaf holder containers - NOT INCLUDED.

CE mark
Made in ASIA

TECHNICAL CARD	
power supply	Monofase
Volts	V 230/1
frequency (Hz)	50
breadth (mm)	2025
depth (mm)	800
height (mm)	1390

AVAILABLE MODELS		
<div><p>FO-G-PZ2610TN33</p></div>	<div><p>Refrigerated pizza counter 2 DOORS + CHEST OF DRAWERS, with 330 mm deep refrigerated display case</p><p>Refrigerated pizza counter 2 DOORS + CHEST OF DRAWERS, with 330 mm deep refrigerated display case, capacity 10 GN 1/4 containers (265x162 mm), temperature +2/+8°C, V.230/1, Ventilated, ECOLOGICAL in Class B, Gas R290, Kw.0.26, dim.mm.2025x800x1445h</p></div>	<div><p>Delivery from 8 to 15 days</p></div>


FO-G-PZ2610TN38



Refrigerated pizza counter 2 DOORS + CHEST OF DRAWERS, with 380 mm deep refrigerated display case

Refrigerated pizza counter 2 DOORS + CHEST OF DRAWERS, with 380 mm deep refrigerated display case, capacity 9 GN 1/3 containers (325x175 mm), temperature +2/+8°C, Ventilated, ECOLOGICAL in Class B, Gas R290, V.230/ 1, Kw.0.26, dim.mm.2025x800x1445h

Delivery from 8 to 15 days



Mod.FOPZ2610TN33 Cap. 10 Bacinelle GN1/4



Mod.FOPZ2610TN38 Cap. 9 Bacinelle GN 1/3