

#### TECNOSERVICE'21 srl

by Tinti Sergio Via Carlo Pisacane, 134 61032 Fano (PU) Italy P.IVA ITO200411413 Tel. +39 0721 805911 FAX +39 0721 809794 e-mail: staff@technochef.it www.technochef.it www.technochef.eu

Services and Technologies for professional catering since 1973



CODE	DESCRIPTION	PRICE/DELIVERY
TCF024-002500	Vertical FLYWHEEL manual slicer for Cured Meats, blade diameter 300 mm, Standard Colors: RED, BLACK and CREAM or Customizable on Request, dim.mm.600x720x740h.	<b>Delivery</b> from 4 to 9 days

#### PROFESSIONAL DESCRIPTION

MANUAL FLYWHEEL SLICER, blade diameter 300 mm, made of aluminum alloy and steel parts, with stove enamelling:

- o built in aluminum and steel parts with a stove-enamel finish, it is a real jewel with a design with attention to the smallest detail,
- cutting thickness from mm 0 to 2.5 9 positions,
- cutting capacity: mm 230x190h,
- o built-in sharpener,
- the flywheel is manually operated and can therefore also work in places without electricity,
- $\circ\;$  robust, durable and reliable, a product for true connoisseurs,
- $\circ~\mbox{equipped}$  with a ring protection around the blade in accordance with EEC standards,
- o totally customizable in terms of color and finishes,
- $\circ~$  standard colours: red, black, cream (to be specified when ordering).

### Accessories/Options:

- o pink flowered flywheel
- o pedestal

NB .: BASIC VERSION WITH SMOOTH FLYWHEEL . The flowered flywheel is an optional, see price in the accessories.

### CE MARK MADE IN ITALY

MADE IN ITALY		
TECHNICAL CARD		
gross weight (Kg)	51	
breadth (mm)	600	
depth (mm)	720	
height (mm)	740	

#### **TECHNICAL CARD**

CODE/PICTURES DESCRIPTION PRICE/DELIVERY

#### TCF024-005008



**TECHNOCHEF - Flywheel Pink 250/300**Rose flowered flywheel for flywheel / manual slicers Mod. 250/300

# **Delivery** from 4 to 9 days

#### TCF024-005001



Delivery from 8 to 15 days

## **TECHNOCHEF - Pedestal, Mod.PD250 / 300** Pedestal for flywheel / manual slicers Mod. 250/300 -

Weight Kg. 56 - Diameter mm. 650x800h





