



**TECNOSERVICE'21 srl**

by Tinti Sergio  
Via Carlo Pisacane, 134  
61032 Fano (PU) Italy  
P.IVA IT0200411413

Tel. +39 0721 805911  
FAX +39 0721 809794  
e-mail: [staff@technochef.it](mailto:staff@technochef.it)  
[www.technochef.it](http://www.technochef.it)  
[www.technochef.eu](http://www.technochef.eu)

Services and Technologies for professional catering since 1973



CODE	DESCRIPTION	PRICE/DELIVERY
<b>TCF362-C300A</b>	Ice cube maker with spray system, yield 300 Kg/24 hours, without deposit, stainless steel exterior, air cooling, V 230/1, Kw 2.60, dimensions 1250x580x848h mm.	<b>Delivery</b> from 8 to 15 days

#### PROFESSIONAL DESCRIPTION

**ICE MAKER in FULL CUBES with SPRAY SYSTEM, WITHOUT DEPOSIT, production Kg 300/24 hours,**

- **structure** in 18/8 stainless steel , Scotch Brite finish;
- **spray ice production system** ;
- **air** or **water cooling** ;
- **production Kg 300/24 hours** ;
- **full ice** cubes, highly compact and crystalline, ideal for various uses in restaurants, hotels and bars;
- **type of cube** of your choice: **A - 18 g** , - **C - 33 g** , - **D - 13 g** , - **E - 42 g** , - **B - 60 g** , (standard cube 18 g);
- **R404A** refrigerant;
- **water consumption** : A=2.6/W=14.3;
- modular models, **it is necessary to combine them with an ice storage container** .

#### Accessories/Options :

- Containers/deposits for ice machines

**CE mark**

**Made in Italy**

#### TECHNICAL CARD

<b>power supply</b>	Monofase
<b>Volts</b>	V 230/1
<b>frequency (Hz)</b>	50
<b>motor power capacity (Kw)</b>	2,6
<b>net weight (Kg)</b>	152
<b>gross weight (Kg)</b>	178
<b>breadth (mm)</b>	1250
<b>depth (mm)</b>	580

height (mm) 848

#### TECHNICAL CARD

##### CODE/PICTURES

**TCF362-BIN350**



##### DESCRIPTION

#### Containers/Deposits for ice machines, capacity 350 Kg.

Highly insulated ice storage, external stainless steel, capacity 350 Kg, usable with producers: Mod.G 160/280/510, Mod.C150/300/300Split, Mod.VM 500/900/1700 and Mod.MUSTER 250/350/600 /350Split, dim.mm.1250x790x1000h

**Delivery** from 4 to 9 days




Cod.TCF362-C300



Cod.TCF362-BIN350



	L	H	ø
1 - Ingresso acqua produzione ghiaccio	39	582	3/4"
2 - Ingresso acqua per condensatore	1217	298	3/4"
3 - Scarico acqua	29	73	24 mm
4 - Connessione Elettrica	1222	748	-
5 - Scarico acqua	31	440	24 mm
6 - Scarico acqua per condensatore	1222	55	3/4"



\* solo per sistemi di raffreddamento ad acqua

## DIMENSIONI CUBETTI GHIACCIO

