



TECNOSERVICE'21 srl

by Tinti Sergio
Via Carlo Pisacane, 134
61032 Fano (PU) Italy
P.IVA IT0200411413

Tel. +39 0721 805911
FAX +39 0721 809794
e-mail: staff@technochef.it
www.technochef.it
www.technochef.eu

Services and Technologies for professional catering since 1973



CODE	DESCRIPTION	PRICE/DELIVERY
TCF024-002700	Vertical FLYWHEEL manual slicer for Salami, blade diameter 370 mm, Standard colors: RED, BLACK, CREAM or Customizable on request, dim. mm 710x870x800h	Delivery from 4 to 9 days

PROFESSIONAL DESCRIPTION

MANUAL FLYWHEEL SLICER, blade diameter 370 mm, made of aluminum alloy and steel parts, with stove enamelling,

- **built in aluminum and steel parts** with a **stove-enamel finish**, it is a **real jewel with a design** with attention to the smallest detail,
- **cutting thickness from mm 0 to 2.5** - 9 positions,
- **cutting capacity: mm 270x250h,**
- built-in sharpener,
- the flywheel is manually operated and **can therefore also work in places without electricity,**
- robust, durable and reliable, a product for true connoisseurs,
- equipped **with a ring protection around the blade in accordance with EEC standards,**
- **totally customizable** in terms of color and finishes,
- **standard colours: red, black, cream** (to be specified when ordering).

Accessories/Options :

- pink flowered flywheel
- pedestal

NB : BASIC VERSION WITH SMOOTH FLYWHEEL . The flowered flywheel is an optional, see price in the accessories.

CE MARK
MADE IN ITALY

TECHNICAL CARD

net weight (Kg)	81
gross weight (Kg)	90
breadth (mm)	710
depth (mm)	870

height (mm) 800

TECHNICAL CARD

CODE/PICTURES

DESCRIPTION

PRICE/DELIVERY

TCF024-005007



**TECHNOCHEF - Rose Flowered Flywheel,
Mod.FLOWERED ROSE 350/370**

Rose flowered flywheel for flywheel / manual slicers Mod.
350/370

Delivery from 4 to 9 days

TCF024-005002



TECHNOCHEF - Pedestal, Mod.PD 350/370

Pedestal for flywheel / manual slicers Mod. 350/370.


Delivery from 8 to 15 days








TECHNOCHEF.IT



F 350 VOLANO

F 370 VOLANO

A mm	400	400
B mm	650	650
C mm	710	710
D mm	870	870
E mm	800	800
kg	81	81



Pedistallo

F mm	450
G mm	700
H mm	640
I mm	795
kg	53