

TECNOSERVICE'21 srl by Tinti Sergio Via Carlo Pisacane, 134 61032 Fano (PU) Italy P.IVA IT0200411413 Tel. +39 0721 805911 FAX +39 0721 809794 e-mail: staff@technochef.it www.technochef.it www.technochef.eu

Services and Technologies for professional catering since 1973



Mod.TD-SL03PZ - REFRIGERATED PIZZA COUNTER, with 3 DOORS and GRANITE TOP with UPSTAND:

• internal and external structure in stainless steel, with external bottom in galvanized steel;

- capacity liters 350 ;
- temperature +4°/+10°C;
- 3 refrigerated compartments for Gastro-Norm 1/1 trays or grills (mm.530x325);
- granite top with backsplash ;
- **static refrigeration** with air agitator;
- removable cooling unit ;
- R404A/R507 refrigerant gas.
- electronic control panel;
- automatic defrost ;
- automatic evaporation of condensed water;
- opening engine compartment;
- rounded internal corners ;
- CFC-free polyurethane insulation;
- insulation thickness 40 mm ;
- doors with automatic closing and magnetic gasket;
- height adjustable plastic feet.

Included :

 $\circ~$ N.1 rilsan grid GN 1/1 (mm.530x325) and 2 stainless steel guides for the door.

Options/Accessories :

- Plasticized grid GN 1/1 (MM.530X325) Cod.TD-GRPLTGN.
- L-shaped stainless steel guides Cod.TD-GLSAL.
- Set of 2 stainless steel drawers to be placed on the left Cod.TD-C2SLSX.
- Set of 2 stainless steel drawers to be positioned on the right Cod.TD-C2SLDX.
- Set of 2 stainless steel drawers to be placed in the center Cod.TD-C2SLCE.
- Kit of 4 wheels, 2 of which with brake Cod.TD-RUOSL.
- Set of 4 legs, for pizza counters Cod.TD-PDSAL.

NB: Trays or Grids GN 1/1 - NOT INCLUDED.

CE mark Made in Italy

TECHNICAL CARD			
supply	Monofase		
Volts	V 230/3		
cy (Hz)	50		
motor power capacity (Kw)			
net weight (Kg) 186		186	
h (mm)	1410		
h (mm)	700		
it (mm)	1070		
TECHNICAL CARD			
	DESCRIPTION	PRICE/DELIVERY	
Delivery from 8 to 15 days Complete pizza benches ELLE stainless steel guides for inserting Plasticate grids			
TECHNOCHEF - Plastic coated grill GN 1/1, Mod.GRPLTGN Gastro-Norm plasticized grill 1/1 (mm.530x325)		Delivery from 4 to 9 days	
	supply Volts cy (Hz) ty (Kw) ht (Kg) h (mm) t (mm) t (mm) TECHNIC	supplyMonofaseVoltsV 230/3cy (Hz)50ty (Kw)0,3ht (Kg)186h (mm)14107001070TECHNIC CARD	

