



TECNOSERVICE'21 srl

by Tinti Sergio
Via Carlo Pisacane, 134
61032 Fano (PU) Italy
P.IVA IT0200411413

Tel. +39 0721 805911
FAX +39 0721 809794
e-mail: staff@technochef.it
www.technochef.it
www.technochef.eu

Services and Technologies for professional catering since 1973



CODE	DESCRIPTION	PRICE/DELIVERY
AG-EXPORT20	Stainless steel potato peeler, production capacity 800 Kg/h, potato load 20 Kg, V.400/3, Kw.0.5, Weight 81 Kg, dim.mm.470x740x1000h	Delivery from 4 to 9 days

PROFESSIONAL DESCRIPTION

POTATO PEELER Export series, production load 20 Kg :

- allows you to obtain a well-polished product, free from dents and with limited processing waste, thanks to the combined solution of the cylindrical processing compartment and the extractable rotating plate, made with a special abrasive agglomerate.
- **high abrasive life ;**
- **stainless steel structure;**
- **cover with micro and protection on the exhaust;**
- **potato load : 20 kg;**
- **production capacity : 800 kg;**
- **V.400/3 motor switchable to V.230/3 , energy saving (with a reduction in consumption of approximately 20%);**
- protection class IP 55;
- **gear motor-rotating plate transmission ;**
- 24 Volt **wall control panel** with programmable mechanical timer.

Optional/Accessories :

- tubular stainless steel stool with filter tray
- stainless steel waste collection filter with knob

CE mark



Made in Italy

TECHNICAL CARD

power supply	Trifase
Volts	V 400/3
frequency (Hz)	50
motor power capacity (Kw)	0,75
net weight (Kg)	81
gross weight (Kg)	89

breadth (mm)	470
depth (mm)	740
height (mm)	1000

TECHNICAL CARD

CODE/PICTURES	DESCRIPTION	PRICE/DELIVERY
AG-3516821 	Filter by Export Stainless steel waste collection filter with knob for Export 20 - 25, dim.mm.300x330x330h	Delivery from 4 to 9 days
AG-2014234 	Support with filter tray for EXPORT 20 Tubular stainless steel support with filter tray for Export 20, dim.mm.480x700x350h	Delivery from 4 to 9 days



