



TECNOSERVICE'21 srl

by Tinti Sergio
Via Carlo Pisacane, 134
61032 Fano (PU) Italy
P.IVA IT0200411413

Tel. +39 0721 805911
FAX +39 0721 809794
e-mail: staff@technochef.it
www.technochef.it
www.technochef.eu

Services and Technologies for professional catering since 1973



CODE	DESCRIPTION	PRICE/DELIVERY
AG-EXPORT25	Stainless steel potato peeler, production capacity 1000Kg/h, potato load 25 Kg, V.400/3, Kw.1,10, Weight 81 Kg, dim.mm.470x740x1150h	Delivery from 8 to 15 days

PROFESSIONAL DESCRIPTION

POTATO PEELER Export series, production load 25 Kg :

- allows you to obtain a well-polished product, free from dents and with limited processing waste, thanks to the combined solution of the cylindrical processing compartment and the extractable rotating plate, made with a special abrasive agglomerate.
- high abrasive life** .
- stainless steel structure** .
- cover with micro and protection on the exhaust** .
- potato load** : 25 kg;
- production capacity** : 1000 Kg/h;
- V.400/3 motor switchable to V.230/3 , energy saving** (with a reduction in consumption of approximately 20%);
- protection class IP 55;
- gear motor-rotating plate transmission** ;
- 24 Volt **wall control panel** with programmable mechanical timer .

Options/Accessories :

- Stainless steel waste collection filter with knob.

CE Mark
Made in Italy

TECHNICAL CARD

power supply	Trifase
Volts	V 400/3
frequency (Hz)	50
motor power capacity (Kw)	1,10
net weight (Kg)	81
gross weight (Kg)	89

breadth (mm)	470
depth (mm)	740
height (mm)	1150

TECHNICAL CARD

CODE/PICTURES

DESCRIPTION

PRICE/DELIVERY

AG-3516821



Delivery from 4 to 9 days

Filter by Export

Stainless steel waste collection filter with knob for Export
20 - 25, dim.mm.300x330x330h



