



**TECNOSERVICE'21 srl**

by Tinti Sergio  
Via Carlo Pisacane, 134  
61032 Fano (PU) Italy  
P.IVA IT0200411413

Tel. +39 0721 805911  
FAX +39 0721 809794  
e-mail: [staff@technochef.it](mailto:staff@technochef.it)  
[www.technochef.it](http://www.technochef.it)  
[www.technochef.eu](http://www.technochef.eu)

Services and Technologies for professional catering since 1973



#### TECHNICAL CARD

<b>power supply</b>	Monofase
<b>Volts</b>	V 230/1
<b>frequency (Hz)</b>	50
<b>motor power capacity (Kw)</b>	0,5
<b>net weight (Kg)</b>	208
<b>gross weight (Kg)</b>	235
<b>breadth (mm)</b>	1480
<b>depth (mm)</b>	830
<b>height (mm)</b>	2010

#### PROFESSIONAL DESCRIPTION

**REFRIGERATOR 2 GLASS DOORS, It.1325, Ventilated, Temp.-2°/+8°C, Class C:**

- **made of AISI 304 stainless steel ;**
- external bottom and back panels in galvanized sheet metal;
- bottom with rounded corners;
- **suitable for containing 2/1 Gastronorm pans or grills (650x530 mm);**
- capacity 1325 litres;
- **ventilated refrigeration ;**
- built-in group with **ECOLOGICAL GAS R290;**
- **Energy class C ;**
- retractable evaporator in order to have maximum available space;
- engine compartment with insulated sides;
- **electronic temperature control with digital thermostat ;**
- operating temperature -2°/+8°C;
- **automatic defrosting** with electric heater and **automatic defrosting temperature control ;**
- **maximum ambient temperature : +32°C;**
- **maximum ambient humidity : 55% HR;**
- **automatic evaporation of condensed water ;**

- anti-corrosion treated evaporator;
- **insulation thickness 60 mm ;**
- **door with return spring ;**
- door lock with key;
- door seal removable without tools;
- **internal light ;**
- feet in AISI 304 stainless steel, adjustable in height.

**Included :**

- n.6 Gastronorm grills 2/1 (mm 650x530)
- 12 guides




**Options/Accessories :**

- pair of guides for grill support - Cod.FOCG21
- plasticized Gastronorm grill 2/1 - Cod.FOGRP21
- kit of 4 wheels diameter 120 mm, 2 of which with brake - Cod.FORUO120

**CE mark**

**Made in ASIA**

CODE	DESCRIPTION	PRICE/DELIVERY
<b>FO-G-GN1410TNG</b>	Refrigerated cabinet with 2 glass doors, capacity 1325 litres, temperature +2°/+8°C, ventilated refrigeration, gas R290, class C, gastronorm 2/1, V.230/1, kW.0.5, weight 208 kg , dim.mm.1480x830x2010h	<b>Delivery</b> from 8 to 15 days

TECHNICAL CARD		
CODE/PICTURES	DESCRIPTION	PRICE/DELIVERY
<b>FOGRP21</b> 	<b>Plasticized grid GN 2/1</b>	<b>Delivery</b> from 4 to 9 days
<b>FOCG21</b> 	<b>Pair of stainless steel guides</b>	<b>Delivery</b> from 4 to 9 days
<b>FO-RUO120</b> 	<b>Forcar - 4 Wheel Kit, 2 with Brake</b>	<b>Delivery</b> from 4 to 9 days

