



TECNOSERVICE'21 srl

by Tinti Sergio
Via Carlo Pisacane, 134
61032 Fano (PU) Italy
P.IVA IT0200411413

Tel. +39 0721 805911
FAX +39 0721 809794
e-mail: staff@technochef.it
www.technochef.it
www.technochef.eu

Services and Technologies for professional catering since 1973



TECHNICAL CARD

power supply	Monofase
Volts	V 230/1
frequency (Hz)	50
motor power capacity (Kw)	0,5
net weight (Kg)	208
gross weight (Kg)	235
breadth (mm)	1480
depth (mm)	830
height (mm)	2010

PROFESSIONAL DESCRIPTION

REFRIGERATOR 2 GLASS DOORS, It.1325, Ventilated, Temp.-2°/+8°C, Class C:

- **made of AISI 304 stainless steel ;**
- external bottom and back panels in galvanized sheet metal;
- bottom with rounded corners;
- **suitable for containing 2/1 Gastronorm pans or grills (650x530 mm);**
- capacity 1325 litres;
- **ventilated refrigeration ;**
- built-in group with **ECOLOGICAL GAS R290;**
- **Energy class C ;**
- retractable evaporator in order to have maximum available space;
- engine compartment with insulated sides;
- **electronic temperature control with digital thermostat ;**
- operating temperature -2°/+8°C;
- **automatic defrosting** with electric heater and **automatic defrosting temperature control ;**
- **maximum ambient temperature : +32°C;**
- **maximum ambient humidity : 55% HR;**
- **automatic evaporation of condensed water ;**

- anti-corrosion treated evaporator;
- **insulation thickness 60 mm** ;
- **door with return spring** ;
- door lock with key;
- door seal removable without tools;
- **internal light** ;
- feet in AISI 304 stainless steel, adjustable in height.

Included :

- n.6 Gastronorm grills 2/1 (mm 650x530)
- 12 guides




Options/Accessories :

- pair of guides for grill support - Cod.FOCG21
- plasticized Gastronorm grill 2/1 - Cod.FOGRP21
- kit of 4 wheels diameter 120 mm, 2 of which with brake - Cod.FORUO120

CE mark

Made in ASIA

CODE	DESCRIPTION	PRICE/DELIVERY
FO-G-GN1410TNG	Refrigerated cabinet with 2 glass doors, capacity 1325 litres, temperature +2°/+8°C, ventilated refrigeration, gas R290, class C, gastronorm 2/1, V.230/1, kW.0.5, weight 208 kg , dim.mm.1480x830x2010h	Delivery from 8 to 15 days

TECHNICAL CARD		
CODE/PICTURES	DESCRIPTION	PRICE/DELIVERY
FOGRP21 	Plasticized grid GN 2/1	Delivery from 4 to 9 days
FOCG21 	Pair of stainless steel guides	Delivery from 4 to 9 days
FO-RUO120 	Forcar - 4 Wheel Kit, 2 with Brake	Delivery from 4 to 9 days

