



**TECNOSERVICE'21 srl**

by Tinti Sergio  
Via Carlo Pisacane, 134  
61032 Fano (PU) Italy  
P.IVA IT0200411413

Tel. +39 0721 805911  
FAX +39 0721 809794  
e-mail: [staff@technochef.it](mailto:staff@technochef.it)  
[www.technochef.it](http://www.technochef.it)  
[www.technochef.eu](http://www.technochef.eu)

Services and Technologies for professional catering since 1973



CODE	DESCRIPTION	PRICE/DELIVERY
<b>FO-G-SNACK400TN</b>	1 Door Refrigerator Cabinet, Professional 304 INOX, Snack Line, capacity liters, 429, temp. -2°/+8°C, Static with conveyor and internal air fan, ECOLOGICAL in Class C, Gas R290, V.230/1, Kw.0.26, Weight 135 Kg, dim.mm.680x700x2000h	<b>Delivery</b> from 8 to 15 days
PROFESSIONAL DESCRIPTION		

**REFRIGERATED CABINET 1 door, capacity 429 litres, temp. -2°/+8°C, ECOLOGICAL in Class C, SNACK Line :**

- **made of AISI 304 stainless steel ;**
- external bottom and back panels in galvanized sheet metal;
- bottom with rounded corners;
- **capacity 429 litres ;**
- **static refrigeration with fan and internal air conveyor to uniform the temperature ;**
- group incorporated in upper compartment;
- engine compartment with insulated sides;
- **electronic temperature control with digital thermostat ;**
- operating temperature -2°/+8° C;
- pause defrost type;
- electric resistance around the door frame to eliminate condensation;
- elimination of condensation water using a basin;
- **ECOLOGICAL refrigerant gas R290 ;**
- maximum ambient temperature: +32°C;
- maximum ambient humidity: 55% HR;
- **insulation thickness 50 mm ;**
- **door with return spring and reversible ;**
- door lock with key;
- door seal removable without tools;
- **feet in AISI 304 stainless steel, adjustable in height ;**
- internal dimensions 560x553x1386h mm;
- external dimensions 680x700x2000h mm.

**Supplied :**

- n.3 grids measuring 530x540 mm
- n.6 guides



**Options/Accessories :**

- Pair of grill guides - Cod.FO-CGSN
- Plasticized grid - Cod.FO-GRPSN
- Kit of 4 wheels with 120 mm diameter, 2 of which with brake - Cod-FORUO120

**CE MARK****TECHNICAL CARD**

<b>power supply</b>	Monofase
<b>Volts</b>	V 230/1
<b>frequency (Hz)</b>	50
<b>motor power capacity (Kw)</b>	0,26
<b>net weight (Kg)</b>	135
<b>gross weight (Kg)</b>	152
<b>breadth (mm)</b>	680
<b>depth (mm)</b>	700
<b>height (mm)</b>	2000

**TECHNICAL CARD**

CODE/PICTURES	DESCRIPTION	PRICE/DELIVERY
<b>FO-CGSN</b> 	<b>Forcar - Couple of Guides</b> Pair of guides for grille	<b>Delivery</b> from 4 to 9 days
<b>FO-GRPSN</b> 	<b>Forcar - Plastic coated grid</b> 530x540 mm plastic coated grid	<b>Delivery</b> from 4 to 9 days

# FO-RU0120



Delivery from 4 to 9 days

## Forcar - 4 wheels kit, 2 with brake

4 wheels kit with 120 mm diameter, 2 of which with brake.

