



TECNOSERVICE'21 srl

by Tinti Sergio
Via Carlo Pisacane, 134
61032 Fano (PU) Italy
P.IVA IT0200411413

Tel. +39 0721 805911
FAX +39 0721 809794
e-mail: staff@technochef.it
www.technochef.it
www.technochef.eu

Services and Technologies for professional catering since 1973



CODE	DESCRIPTION	PRICE/DELIVERY
FO-G-UGN2100TN	Table Refrigerated counter 2 DOORS, Professional, capacity 170 lt, temperature -2°/+8°C, ventilated refrigeration, ECOLOGICAL in Class B, Gas R290, Gastronorm 1/1, V.230/1, Kw.0,26, Weight 82 Kg, dim.mm.1360x700x650h	Delivery from 8 to 15 days
PROFESSIONAL DESCRIPTION		

REFRIGERATED TABLE with 2 DOORS, capacity 170 litres, temperature -2°C /+8°C, ECOLOGICAL in Class B :

- AISI 304 stainless steel **structure** ;
- bottom with rounded corners;
- **stainless steel backrest** , possibility of leaning against the wall;
- **compartments suitable for inserting Gastronorm 1/1 grills** or trays (530x325 mm);
- capacity 170 litres;
- **built-in refrigeration unit removable** for easy maintenance;
- front panel that can be opened with a key;
- circular flow of the cold air so as not to directly touch the product;
- operating temperature -2°/+8°C;
- **electronic temperature control with** digital thermostat;
- electrical resistance around the door frame for elimination of condensation;
- **ventilated refrigeration** ;
- **automatic defrost** with electric resistance and automatic control of the defrost temperature;
- **automatic evaporation of condensation water** ;
- anti-corrosion treated evaporator;
- **ECOLOGICAL Refrigerating Group with R290 gas** ;
- **Energy Class B** ;
- maximum ambient temperature: +32°C;
- maximum temperature humidity: 55% HR;
- **insulation thickness 60 mm** ;
- door with return spring;
- door seal removable without tools;
- **feet in AISI 304 stainless steel, adjustable in height** ;
- internal dimensions 902x530x355h mm.

Supplied:

- n.2 Gastronorm 1/1 grills
- n.4 guides

Options/Accessories :

- chest of drawers with 2 drawers with fully extractable stainless steel telescopic guides - Code FO-U12;
- pair of guides for supporting grids - Cod.FOCG11;
- Gastronorm 1/1 plasticized grill - Code FOGRP11;
- kit of 4 wheels with a diameter of 120 mm, two of which with brake - Code FORUO120.

CE MARK
MADE IN ASIA

TECHNICAL CARD

power supply	Monofase
Volts	V 230/1
frequency (Hz)	50
motor power capacity (Kw)	0,35
net weight (Kg)	82
gross weight (Kg)	103
breadth (mm)	1360
depth (mm)	700
height (mm)	650

TECHNICAL CARD

CODE/PICTURES	DESCRIPTION	PRICE/DELIVERY
FOGRP11 	GN 1/1 plasticized grid Gastronorm 1/1 plasticized grid	Delivery from 4 to 9 days

FOCG11**Pair of guides for GN 1/1 grid support**
Pair of guides for GN 1/1 grid support

Delivery from 4 to 9 days

FO-RUO120**Forcar - 4 wheels kit, 2 with brake**
4 wheels kit with 120 mm diameter, 2 of which with brake.

Delivery from 4 to 9 days

FO-U12**Chest of drawers with 2 drawers with telescopic stainless steel guides complete with pull-out for Mod.UGN**
Chest of drawers with 2 drawers with telescopic stainless steel guides complete with pull-out for Mod.UGN

Delivery from 3 to 6 days

